

Abteilung "Hämatologie und Onkologie"

Journalbeiträge

1. Basecke J, Karim K, Podleschny M, Becker A, Glass B, Trumper L, Griesinger F (2006) MLL rearrangements emerge during spontaneous apoptosis of clinical blood samples. *LEUKEMIA*, 20(6): 1193-4.
2. Basecke J, Whelan JT, Griesinger F, Bertrand FE (2006) The MLL partial tandem duplication in acute myeloid leukaemia. *BRIT J HAEMATOL*, 135(4): 438-49.
3. Basecke J, Podleschny M, Clemens R, Schnittger S, Viereck V, Trümper L, Griesinger F (2006) Lifelong persistence of AML associated MLL partial tandem duplications (MLL-PTD) in healthy adults. *LEUKEMIA RES*, 30(9): 1091-1096.
4. Eberhardt W, Fietkau R, Griesinger F, Passlick B, Stuschke M (2006) [Surgery and adjuvant therapy in non-small-cell lung carcinoma (NSCLC). (stage I through operable stage IIIA)]. *ONKOLOGIE*, 29 Suppl 2: 7-10.
5. Feuerborn A, Möritz C, Von Bonin F, Dobbstein M, Trümper L, Stürzenhofecker B, Kube D (2006) Dysfunctional p53 deletion mutants in cell lines derived from Hodgkin's lymphoma. *LEUKEMIA LYMPHOMA*, 47(9): 1932-40.
6. Fietz T, Uharek L, Gentilini C, Muessig A, Rieger K, Marinets O, Sandroock D, Munz DL, Glass B, Thiel E, Blau IW (2006) Allogeneic hematopoietic cell transplantation following conditioning with 90Y-ibrutinomab-tiuxetan. *LEUKEMIA LYMPHOMA*, 47(1): 59-63.
7. Gatzemeier U, Griesinger F, Huber RM (2006) [Pillnitz interdisciplinary discussion--summary]. *ONKOLOGIE*, 29 Suppl 2: 2.
8. Glass B, Kloess M, Bentz M, Schlimok G, Berdel WE, Feller A, Trümper L, Loeffler M, Pfreundschuh M, Schmitz N, German-High-Grade-Non-Hodgkin-Lymphoma-Study-Group (2006) Dose-escalated CHOP plus etoposide (MegaCHOEP) followed by repeated stem cell transplantation for primary treatment of aggressive high-risk non-Hodgkin lymphoma. *BLOOD*, 107(8): 3058-64.
9. Hasenkamp J, Borgerding A, Wulf G, Uhrberg M, Jung W, Dingeldein S, Truemper L, Glass B (2006) Resistance against natural killer cell cytotoxicity: analysis of mechanisms. *SCAND J IMMUNOL*, 64(4): 444-9.
10. Henke RT, Eun Kim S, Maitra A, Paik S, Wellstein A (2006) Expression analysis of mRNA in formalin-fixed, paraffin-embedded archival tissues by mRNA in situ hybridization. *METHODS*, 38(4): 253-62.
11. Hummel M, Bentink S, Berger H, Klapper W, Wessendorf S, Barth TF, Bernd HW, Cogliatti SB, Dierlamm J, Feller AC, Hansmann ML, Haralambieva E, Harder L, Hasenclever D, Kühn M, Lenze D, Lichter P, Martin-Subero JI, Möller P, Müller-Hermelink HK, Ott G, Parwaresch RM, Pott C, Rosenwald A, Rosolowski M, Schwaenen C, Stürzenhofecker B, Szczepanowski M, Trautmann H, Wacker HH, Spang R, Loeffler M, Trümper L, Stein H, Siebert R, Molecular Mechanisms in Malignant Lymphomas Network Project of the Deutsche Krebshilfe (2006) A biologic definition of Burkitt's lymphoma from transcriptional and genomic profiling. *NEW ENGL J MED*, 354(23): 2419-30.
12. Karst C, Gross M, Haase D, Wedding U, Höffken K, Liehr T, Mkrtchyan H (2006) Novel cryptic chromosomal rearrangements detected in acute lymphoblastic leukemia detected by application of new multicolor fluorescent in situ hybridization approaches. *INT J ONCOL*, 28(4): 891-7.
13. Krneta J, Kroll J, Alves F, Prahst C, Sananbenesi F, Dullin C, Kimmina S, Phillips DJ, Augustin HG (2006) Dissociation of angiogenesis and tumorigenesis in follistatin- and activin-expressing tumors. *CANCER RES*, 66(11): 5686-95.
14. Kuendgen A, Schmid M, Schlenk R, Knipp S, Hildebrandt B, Steidl C, Germing U, Haas R, Dohner H, Gattermann N (2006) The histone deacetylase (HDAC) inhibitor valproic acid as monotherapy or in combination with all-trans retinoic acid in patients with acute myeloid leukemia. *CANCER*, 106(1): 112-9.
15. Lee JH, Schütte D, Wulf G, Füzési L, Radzun HJ, Schweyer S, Engel W, Nayernia K (2006) Stem-cell protein Pivl2 is widely expressed in tumors and inhibits apoptosis through activation of Stat3/Bcl-XL pathway. *HUM MOL GENET*, 15(2): 201-11.
16. Meyer C, Schneider B, Jakob S, Strehl S, Attarbaschi A, Schnittger S, Schoch C, Jansen MW, van Dongen JJ, den Boer ML, Pieters R, Ennas MG, Angelucci E, Koehl U, Greil J, Griesinger F, Zur Stadt U, Eckert C, Szczepanski T, Niggli FK, Schäfer BW, Kempinski H, Brady HJ, Zuna J, Trka J, Nigro LL, Biondi A, Delabesse E, Macintyre E, Stanulla M, Schrappe M, Haas OA, Burmeister T, Dingermann T, Klingebiel T, Marschalek R (2006) The MLL recombinome of acute leukemias. *LEUKEMIA*, 20(5): 777-84.
17. Molinas SM, Trumper L, Serra E, Elías MM (2006) Evolution of renal function and Na(+), K (+)-ATPase expression during ischaemia-reperfusion injury in rat kidney. *MOL CELL BIOCHEM*, 287(1-2): 33-42.
18. MRD-AML-BFM-Study-Group, Langebrake C, Creutzig U, Dworzak M, Hrusak O, Mejstrikova E, Griesinger F, Zimmermann M, Reinhardt D (2006) Residual disease monitoring in childhood acute myeloid leukemia by multiparameter flow cytometry: the MRD-AML-BFM Study Group. *J CLIN ONCOL*, 24(22): 3686-92.
19. Murga Penas EM, Kawadler H, Siebert R, Frank M, Ye H, Hinz K, Becher C, Hummel M, Barth TF, Bokemeyer C, Stein H, Trümper L, Möller P, Marynen P, Du MQ, Yang X, Hansmann ML, Dierlamm J

Abteilung "Hämatologie und Onkologie"

- (2006) A novel fusion of the MALT1 gene and the microtubule-associated protein 4 (MAP4) gene occurs in diffuse large B-cell lymphoma. *GENE CHROMOSOME CANC*, 45(9): 863-73.
20. Nayernia K, Lee JH, Drusenheimer N, Nolte J, Wulf G, Dressel R, Gromoll J, Engel W (2006) Derivation of male germ cells from bone marrow stem cells. *LAB INVEST*, 86(7): 654-63.
 21. Nayernia K, Nolte J, Michelmann HW, Lee JH, Rathsack K, Drusenheimer N, Dev A, Wulf G, Ehrmann IE, Elliott DJ, Okpanyi V, Zechner U, Haaf T, Meinhardt A, Engel W (2006) In vitro-differentiated embryonic stem cells give rise to male gametes that can generate offspring mice. *DEV CELL*, 11(1): 125-32.
 22. Nickenig C, Dreyling M, Hoster E, Pfreundschuh M, Trumper L, Reiser M, Wandt H, Lengfelder E, Unterhalt M, Hiddemann W, German-Low-Grade-Lymphoma-Study-Group (2006) Combined cyclophosphamide, vincristine, doxorubicin, and prednisone (CHOP) improves response rates but not survival and has lower hematologic toxicity compared with combined mitoxantrone, chlorambucil, and prednisone (MCP) in follicular and mantle cell lymphomas: results of a prospective randomized trial of the German Low-Grade Lymphoma Study Group. *CANCER*, 107(5): 1014-22.
 23. Pfreundschuh M, Trümper L, Osterborg A, Pettengell R, Trneny M, Imrie K, Ma D, Gill D, Walewski J, Zinzani PL, Stahel R, Kvaloy S, Shpilberg O, Jaeger U, Hansen M, Lehtinen T, López-Guillermo A, Corrado C, Scheliga A, Milpied N, Mendila M, Rashford M, Kuhnt E, Loeffler M, MabThera International Trial Group (2006) CHOP-like chemotherapy plus rituximab versus CHOP-like chemotherapy alone in young patients with good-prognosis diffuse large-B-cell lymphoma: a randomised controlled trial by the MabThera International Trial (MInT) Group. *LANCET ONCOL*, 7(5): 379-91.
 24. Prinz M, Garbe F, Schmidt H, Mildner A, Gutcher I, Wolter K, Piesche M, Schroers R, Weiss E, Kirschning CJ, Rochford CD, Brück W, Becher B (2006) Innate immunity mediated by TLR9 modulates pathogenicity in an animal model of multiple sclerosis. *J CLIN INVEST*, 116(2): 456-464.
 25. Pukrop T, Klemm F, Hagemann T, Gradl D, Schulz M, Siemes S, Trümper L, Binder C (2006) Wnt 5a signaling is critical for macrophage-induced invasion of breast cancer cell lines. *P NATL ACAD SCI USA*, 103(14): 5454-9.
 26. Rüchel R, Perske C, Glass B, Bäsecke J (2006) A case of pulmonary aspergillosis with lack of response to caspofungin. *Rev Iberoamericana de Micologia*, 23(2): 94-6.
 27. Schiel X, Link H, Maschmeyer G, Glass B, Cornely OA, Buchheidt D, Wilhelm M, Silling G, Helmerking M, Hiddemann W, Ostermann H, Hentrich M (2006) A prospective, randomized multicenter trial of the empirical addition of antifungal therapy for febrile neutropenic cancer patients: results of the Paul Ehrlich Society for Chemotherapy (PEG) Multicenter Trial II. *INFECT*, 34(3): 118-26.
 28. Schlenk RF, Fröhling S, Hartmann F, Fischer JT, Glasmacher A, Del Valle F, Götze K, Nerl C, Schoch R, Pralle H, Mergenthaler HG, Hensel M, Koller E, Kirchen H, Matzdorff A, Salwender H, Biedermann HG, Kremers S, Haase D, Benner A, Döhner K, Döhner H (2006) Intensive consolidation versus oral maintenance therapy in patients 61 years or older with acute myeloid leukemia in first remission: results of second randomization of the AML HD98-B treatment Trial. *LEUKEMIA*, 20(4): 748-50.
 29. Schmitz N, Kloess M, Reiser M, Berdel WE, Metzner B, Dorken B, Kneba M, Trumper L, Loeffler M, Pfreundschuh M, Glass B, German-High-Grade-Non-Hodgkin's-Lymphoma-Study-Group-(DSHNHL) (2006) Four versus six courses of a dose-escalated cyclophosphamide, doxorubicin, vincristine, and prednisone (CHOP) regimen plus etoposide (megaCHOEP) and autologous stem cell transplantation: early dose intensity is crucial in treating younger patients with poor prognosis aggressive lymphoma. *CANCER*, 106(1): 136-45.
 30. Schuttrumpf S, Binder L, Hagemann T, Berkovic D, Trumper L, Binder C (2006) Utility of procalcitonin concentration in the evaluation of patients with malignant diseases and elevated C-reactive protein plasma concentrations. *CLIN INFECT DIS*, 43(4): 468-73.
 31. Steidl U, Rosenbauer F, Verhaak RG, Gu X, Ebralidze A, Otu HH, Klippel S, Steidl C, Bruns I, Costa DB, Wagner K, Aivado M, Kobbe G, Valk PJ, Passequé E, Libermann TA, Delwel R, Tenen DG (2006) Essential role of Jun family transcription factors in PU.1 knockdown-induced leukemic stem cells. *NAT GENET*, 38(11): 1269-77.
 32. Stühmer W, Alves F, Hartung F, Zientkowska M, Pardo LA (2006) Potassium channels as tumour markers. *FEBS LETT*, 580(12): 2850-2.
 33. Wulf GG, Boehnke A, Chapuy B, Glass B, Hemmerlein B, Schroers R, Brenner MK, Truemper L (2006) CD45 monoclonal antibody-mediated cytolysis of human NK and T lymphoma cells. *HAEMATOL-HEMATOL J*, 91(7): 886-94.
 34. Wulf GG, Chapuy B, Trümper L (2006) [Mesenchymal stem cells from bone marrow. Phenotype, aspects of biology, and clinical perspectives]. *MED KLIN*, 101(5): 408-13.
 35. Yone CL, Kube D, Kremsner PG, Luty AJ, for the-1/95-C-Study-Team (2006) Persistent Epstein-Barr viral reactivation in young African children with a history of severe Plasmodium falciparum malaria. *TROP MED H*, 100(7): 669-76.

Abteilung "Hämatologie und Onkologie"

Buchbeiträge

1. Trümper L, Engelhard M, Schmitz N (2006) Nodale aggressive Non-Hodgkin-Lymphome. In: Schmoll, Höffken, Possinger (Hg.) Kompendium Internistische Onkologie. Springer Verlag, Heidelberg, 2987-3047.
2. Trümper L, Glass B (2006) Hochdosistherapie (HDT) und Stammzelltransplantation (SZT). In: Pfeifer B, Preiß J, Unger C (Hg.) Onkologie integrativ. Urban & Fischer Verlag, München, 122 - 128.
3. Wulf G, Trümper L (2006) Ernährungsmedizinische Aspekte bei hämatopoetischer Stammzelltransplantation. In: Schauder P, Ollenschläger G (Hg.) Ernährungsmedizin. Urban & Fischer Verlag, München, 586 - 594.

Medizinische Dissertationen

1. Gogowski G, Dr. med., Studien zur Etablierung eines Zellkulturmodells für die niedrig-malignen Non-Hodgkin-Lymphome der B-Zellreihe. Dissertation Universität Göttingen 2006.
2. Kintrup T, Dr. med., Die Bedeutung des Oberflächenmoleküls CD38 bei der chronischen lymphatischen Leukämie. Dissertation Universität Göttingen 2006.
3. Kroll A, Dr. med., Minimale Resterkrankung bei aggressiven Non-Hodgkin-Lymphomen: quantitativer Nachweis klonspezifischer DNA-Sequenzen mittels Real-Time-PCR. Dissertation Universität Göttingen 2006.
4. Raab K, Dr. med., Genetische Instabilität peripherer Lymphozyten bei Patienten mit myelodysplastischen Syndromen im Vergleich zu gesunden Kontrollpersonen. Dissertation Universität Göttingen 2006.
5. Saupe S, Dr. med., Identifikation von Spleißvarianten des Discoidin-Domänen-Rezeptors 1. Dissertation Universität Göttingen 2006.
6. Schulze M, Dr. med., Toxizität und Effektivität von Plattax bei unterschiedlichen Tumoren. Dissertation Universität Göttingen 2006.

Naturwiss. u.a. nichtmed. Diss.

1. Piesche M, Dr. rer. nat., Identifikation und immunologische Charakterisierung von MHC-Klasse-II-Peptidpitopen in humanen Leukämie- und Lymphom-assoziierten Antigenen. Dissertation Universität Göttingen 2006.